

# Contents

<b>Foreword</b>	<b>5</b>	1.1.5.6	Intense sweeteners	51
<b>Preface</b>	<b>7</b>	1.1.5.7	Synergistic effects of blends	52
<b>About the Editors</b>	<b>9</b>	1.1.6	Total sweetener consumption and outlook	52
<b>List of symbols</b>	<b>26</b>	1.2	Sugar – Ingredient for the household and the food industry	53
<b>List of subscripts</b>	<b>28</b>	1.2.1	Emotional and psychological relationships	53
<b>List of contributors</b>	<b>33</b>	1.2.2	Sugar and nutrition	53
		1.2.3	Health aspects of sugar	55
		1.2.4	Theory of sweetness	57
		1.2.5	Sensory properties, molecular structure and relative sweetness	58
<b>1 Sugar</b>	<b>37</b>	1.2.6	Sugar in the sweetener market	60
1.1 Historical overview of sweeteners	37	1.2.6.1	Functional properties	60
1.1.1 Honey and fruit juice concentrates	37	1.2.6.2	Competitive sweeteners	60
1.1.2 Sugar crops	38	1.3	Sugar – raw material for the chemical and fermentation industry	63
1.1.2.1 Sugarcane	38	1.3.1	Oxidation	63
1.1.2.2 Sugar palm, sweet corn, sugar maple	40	1.3.2	Hydrogenation/reductive amination	65
1.1.2.3 Sugarbeet	40	1.3.3	HMF production	67
1.1.3 Sugar production	41	1.3.4	Sucrose-based esters	67
1.1.3.1 Preindustrial cane sugar production	41	1.3.5	Polyurethane	68
1.1.3.2 Early beet sugar production	42	1.3.6	Fermentation	68
1.1.3.3 Changes in sugar production and trade in the 19 <sup>th</sup> century	42	1.3.7	Separation of invert sugar into glucose and fructose	69
1.1.3.4 Advances in sugar technology	43	1.3.8	Sugar as a timber preservative	69
1.1.4 Sugar in the world economy	45	1.4	Physicochemical properties of sucrose	70
1.1.4.1 Development of the sugar industry in the 20 <sup>th</sup> century	45	1.4.1	Chemical structure and conformation	70
1.1.4.2 Changes in sugar consumption	46	1.4.2	States of matter of sucrose	70
1.1.4.3 Importance of by-products	47	1.4.2.1	Crystalline phase	70
1.1.4.4 Sugar as a renewable resource: Sugar in the chemical industry	48	1.4.2.2	Amorphous sugar	71
1.1.5 Other sweeteners	48	1.4.3	Properties of crystalline sucrose	72
1.1.5.1 Starch sugars	48	1.4.4	Properties of granulated sugar in bulk form	74
1.1.5.2 Fructose	49	1.4.5	Properties of sucrose solutions	75
1.1.5.3 Lactose, lactose hydrolysates	50	1.4.5.1	Theory of sucrose in solution	75
1.1.5.4 Sugar alcohols (polyols)	50	1.4.5.2	Structurally determined properties	76
1.1.5.5 Diabetic sweeteners	51	1.4.5.3	Optical and magnetic properties	81
		1.4.5.4	Thermodynamic properties of	

## Contents

	sucrose solutions	83		2.1.3.2.4 Lignin	123
1.5	Quality criteria of white sugar and its commercial grades	84		2.1.4 Composition of cell juice	123
1.5.1	Limiting values in international standards	84		2.1.4.1 Nitrogen-free compounds	123
1.5.1.1	Codex Alimentarius	84		2.1.4.1.1 Monosaccharides	123
1.5.1.2	EU sugar standards	86		2.1.4.1.2 Oligosaccharides	126
1.5.1.3	Standards of the EU sugar market regime	87		2.1.4.1.3 Polysaccharides	128
1.5.1.4	US Food Chemical Codex	88		2.1.4.1.4 Organic and inorganic anions	129
1.5.1.5	Other standards and guidelines	89		2.1.4.1.5 Inorganic cations and ash	133
1.5.2	Individual criteria in international standards	90		2.1.4.1.6 Saponins	135
1.5.2.1	Sucrose	90		2.1.4.1.7 Lipids	137
1.5.2.2	Invert sugar	90		2.1.4.1.8 Odor substances	137
1.5.2.3	Ash and conductivity	91		2.1.4.2 Nitrogenous compounds	138
1.5.2.4	Water	91		2.1.4.2.1 Overview	138
1.5.2.5	Color and turbidity of the solution	93		2.1.4.2.2 Amino acids and amides	140
1.5.2.6	Visual appearance (color type)	95		2.1.4.2.3 Proteinaceous substances	144
1.5.2.7	Sulfur dioxide	95		2.1.4.2.4 Plant bases and lecithin	146
1.5.2.8	Contaminants	96		2.1.4.2.5 Nucleic acids, pyrimidine and purine bases, allantoin	148
1.5.2.9	Raffinose and theandrose in white sugar	97		2.1.4.2.6 Phenolic compounds	150
1.5.3	International Pharmacopoeia	97		2.1.4.2.7 Vitamins	151
1.5.3.1	European Pharmacopoeia	97		2.2 Composition of sugarcane	151
1.5.3.2	United States Pharmacopoeia	98		2.2.1 Composition of sugarcane fiber and bagasse	151
1.5.4	Specific criteria	98		2.2.2 Composition of sugarcane juice	152
1.5.4.1	Microbiological criteria and standards	98		2.3 Reactions of beet cell-wall constituents	157
1.5.4.2	Physical and chemical criteria	98		2.3.1 During storage	157
1.5.4.3	Crystal properties	104		2.3.2 During extraction	158
				2.3.3 During ensiling of pressed pulp	161
				2.3.4 Chemical reaction of fine pulp in juice purification	162
				2.4 Reactions of juice constituents	163
				2.4.1 Saccharides	163
				2.4.1.1 Sucrose	163
				2.4.1.2 Enzymatic and microbial reactions related to sucrose	167
				2.4.1.3 Glucose, fructose (invert sugar) degradation	170
				2.4.1.4 Further saccharides	177
				2.4.2 Nonsugars	179
				2.4.2.1 Organic N-free acids	179
				2.4.2.2 Amino acids	181
				2.4.2.3 Glutamine degradation	183
				2.4.2.4 Other nitrogenous substances	185
				2.4.2.5 Phenolic compounds	186
				2.4.2.6 Other constituents	186
				2.4.2.7 Protein, nucleic acids and nucleic building blocks	187
				2.4.2.8 Inorganic anions	188
<b>2</b>	<b>Composition of sugarbeet and sugarcane and chemical behavior of constituents in processing</b>	<b>115</b>			
2.1	Composition of sugarbeet	115			
2.1.1	Overview	115			
2.1.2	Relative distribution of beet constituents	115			
2.1.3	Composition of the cell wall	117			
2.1.3.1	Marc, marc hydrate, and juice content	117			
2.1.3.2	Composition of the marc and properties of marc components	118			
2.1.3.2.1	Cellulose	118			
2.1.3.2.2	Pectic substances	119			
2.1.3.2.3	Hemicelluloses	122			

## Contents

2.4.2.9	Inorganic cations	189		harvesting system	245
2.4.3	Color formation	189	4.2.3	Fully mechanized whole-stick harvesting systems	245
2.4.3.1	Melanin formation	189	4.2.4	Chopper harvesting systems	246
2.4.3.2	Melanoidin formation ( <i>Maillard</i> reaction)	192	4.2.5	Choice between chopper and whole-stick harvester	246
2.4.3.3	Caramelization	197	4.3	Cane loading	246
2.4.3.4	Strecker degradation	199	4.4	Cane transport	248
2.4.3.5	Inhibitors	200	4.4.1	Soil compaction	249
<b>3</b>	<b>Quality of sugarbeet and sugarcane</b>	<b>209</b>	<b>5</b>	<b>Reception, storage and washing</b>	<b>251</b>
3.1	Morphology and physical properties of sugarbeet	209	5.1	Determination of beet payment parameters	251
3.1.1	Morphology	209	5.1.1	Weighing and sampling	251
3.1.2	Ultrastructure of the native sugarbeet root	211	5.1.1.1	Weighing	251
3.1.3	Physical properties of beet	212	5.1.1.2	Sampling	253
3.1.4	Physical data of sugarbeet piles	214	5.1.1.3	Top and soil tare determination	253
3.1.5	Physical properties of beet after denaturation	215	5.1.2	Analysis	254
3.2	Formulas to calculate sugar losses in molasses, nonsugar content in thick juice and resulting pH value (alkalinity) of thick juice from beet analysis	216	5.1.2.1	Brei preparation	254
3.3	Structure, propagation and physiology of the sugarcane plant	225	5.1.2.2	Digestion and clarification	255
3.3.1	External structure of the sugarcane plant	225	5.1.2.3	Sucrose by polarimetry	256
3.3.2	Vegetative propagation	228	5.1.2.4	Alternative sucrose determination methods	256
3.4	Sugarcane quality evaluation	230	5.1.2.5	Determination of nonsugars	257
<b>4</b>	<b>Beet and cane harvesting</b>	<b>239</b>	5.1.2.6	Reproducibility of analyses in automatic beet laboratories	259
4.1	Sugarbeet harvesting	239	5.2	Determination of cane payment parameters	260
4.1.1	Harvesting operations	239	5.2.1	Sampling	260
4.1.2	Topping and lifting quality	240	5.2.1.1	Core sampling	260
4.1.3	Area capacity of harvesting systems	241	5.2.1.2	Grab sampling	260
4.1.4	Harvesting and utilization of leaves and tops	242	5.2.1.3	Full width hatch sampler	261
4.1.5	Soil content	242	5.2.1.4	Comparison of core, grab, and hatch samplers	261
4.1.6	Beet storage in field clamps	243	5.2.1.5	First expressed juice	263
4.1.7	Transport to the factory	244	5.2.1.6	Sampling of mixed juice and final bagasse	263
4.2	Cane harvesting	245	5.2.2	Determination of sucrose content (single polarization)	264
4.2.1	Implementing a mechanized	245	5.2.2.1	Wet desintegrator method	264
			5.2.2.2	Hydraulic press method	264
			5.2.2.3	Analysis of first expressed juice	265
			5.2.2.4	Analysis of mixed juice and final bagasse	266
			5.3	Beet unloading	266
			5.4	Sugarbeet storage	267
			5.4.1	Chemical and biochemical	

## Contents

	reactions during storage	268		matter	301
5.4.1.1	Biochemical reactions of respiration	268	5.5.6.2	Recovery of vegetable matter	302
5.4.1.2	Microbiology of beet in storage	269	5.5.7	Processing and disposal of beet soil	303
5.4.2	Factors affecting the technological value of beet during storage	270	5.5.7.1	Spreading by spraying	303
5.4.2.1	Temperature	270	5.5.7.2	Dewatering of beet soil	303
5.4.2.2	CO <sub>2</sub> and O <sub>2</sub> contents of the surrounding air	271	5.5.7.3	Composition of beet soil	303
5.4.2.3	Relative humidity	272	5.5.7.4	Possible utilization	305
5.4.2.4	Beet quality after harvesting	272	<b>6</b>	<b>Extraction</b>	<b>309</b>
5.4.3	Changes in the chemical composition of beet	275	6.1	Extraction theory	309
5.4.3.1	Sugar losses	275	6.1.1	Introduction	310
5.4.3.2	Soluble carbohydrates	276	6.1.2	Simplified model of countercurrent extraction	311
5.4.3.3	Soluble non-carbohydrates	278	6.1.2.1	Effect of cossette geometry	312
5.4.3.4	Insoluble substances, marc	279	6.1.2.2	Balance calculations	313
5.4.4	Physical changes of beet in storage	279	6.1.2.3	Separation stages and transfer units	314
5.4.5	Storage conditions for minimal sugar losses by respiration	280	6.1.2.4	<i>Silin</i> formula	315
5.4.6	Beet storage methods and conditions	281	6.1.2.5	Effect of axial dispersion	315
5.4.6.1	Short-term storage at the factory	282	6.1.2.6	Radial dispersion	318
5.4.6.2	Clamp storage (Europe)	282	6.1.3	Nature of the material transport within the cossette	318
5.4.6.3	Long-term storage	284	6.1.3.1	Denaturation	318
5.4.7	Inhibition of infections with chemicals	287	6.1.3.2	Release of nonsugar substances	319
5.4.8	Preserving beet by desiccation	289	6.1.3.3	Change in volume	321
5.5	Beet preparation processes	289	6.1.3.4	Diffusive material transport in the beet tissue	321
5.5.1	Losses of beet mass and sugar	290	6.1.4	Cossette geometry, dimension and size distribution	323
5.5.2	Transport of beet from storage/ reception point to washing plant	292	6.1.5	Hydrodynamic effect on material transport	325
5.5.2.1	Hydraulic transport	292	6.1.6	Complex modelling of technical extraction systems	326
5.5.2.2	Dry beet transport	293	6.1.6.1	Continuous countercurrent extraction	326
5.5.3	Washing systems	295	6.1.6.2	Stepwise countercurrent extraction	327
5.5.4	Equipment for washing systems	296	6.1.6.3	Effect of press water return	327
5.5.4.1	Beet washers	296	6.1.7	Sugarcane diffusion	327
5.5.4.2	Stone separators	297	6.2	Technical extraction of beet	328
5.5.4.3	Trash separators	298	6.2.1	Production of cossettes	328
5.5.4.4	Water separators	299	6.2.1.1	Evaluation of the quality of cossettes	328
5.5.5	Mechanical purification of transport and wash water	299	6.2.1.2	Slicing machines	329
5.5.5.1	Removal of fine organic material by vibrating screens	299	6.2.1.3	Knives	332
5.5.5.2	Soil separation	300	6.2.1.4	Knife consumption	334
5.5.6	Treatment of separated vegetable and beet particulate matter	301			
5.5.6.1	Recovery of beet particulate	301			

## Contents

6.2.1.5	Ventilation of slicing machine operating position	334	6.3.2.1	Measurement of fineness	358
6.2.2	Process parameters of extraction	334	6.3.2.2	Description of heavy-duty shredders	358
6.2.2.1	Process conditions	334	6.3.2.3	Mechanics of the swing hammer shredder	359
6.2.2.2	Extraction water	336	6.3.2.4	Specific energy consumption for shredding	360
6.2.2.3	Presence of oxygen during extraction	337	6.3.3	Cane mills	360
6.2.2.4	Extractor operation with deteriorated beet	337	6.3.3.1	Crushing trains	360
6.2.3	Theoretical mass balance of the extraction	338	6.3.3.2	Feeding of mills	361
6.2.4	Energy aspects	339	6.3.3.3	Roll speed required for feeding	363
6.2.5	Equipment for cell denaturation and the cooling of raw juice	339	6.3.3.4	Feed and delivery pressures	364
6.2.5.1	Scalders without heat recovery	340	6.3.3.5	Chutes for cane and bagasse mills	365
6.2.5.2	Juice/cossette heat exchangers with short and controlled retention times	340	6.3.3.6	Pressure system between the rolls	366
6.2.5.3	Exchanger-mixers of tower extractors	341	6.3.3.7	Roll load	367
6.2.6	Beet extractors	342	6.3.3.8	Roll torque and the torque-load number	368
6.2.6.1	Principles of transport in extraction equipment	342	6.3.3.9	Loads and torques in the three-roll mill	368
6.2.6.2	Controlled transport of solid phase/liquid phase	342	6.3.3.10	Mill setting estimation	370
6.2.6.3	Controlled transport of solid and uncontrolled transport of liquid phase	346	6.3.3.11	Extraction theory for mills	370
6.2.6.4	Uncontrolled transport of solid and liquid phase	346	6.3.3.12	Extraction efficiency of a single mill	371
6.2.7	Fine pulp separation and desanding	348	6.3.3.13	Extraction efficiency of a train of mills	372
6.2.8	Other extraction processes	349	6.3.3.14	Extraction efficiency – reabsorption factor	373
6.2.9	Raperie, juice station	349	6.3.3.15	Extraction efficiency – imbibition coefficient	373
6.2.10	Extraction of beet under alkaline conditions	349	6.3.4	Cane diffusers	374
6.2.10.1	History and present status	349	6.3.4.1	Plant and equipment	374
6.2.10.2	Chemical reactions during alkaline extraction	350	6.3.4.2	Factors affecting extraction efficiency	376
6.2.10.3	Process steps	350	6.3.4.3	Comparison with milling	379
6.2.10.4	Juice and pulp composition	351	6.3.5	Control of cane diffusers	381
6.2.10.5	Pulp pressing	351	6.3.6	Mass balances	383
6.2.10.6	UCB process	352			
6.2.11	Solvent extraction of dried sugarbeet cossettes	353	<b>7</b>	<b>Pressed and dried pulp</b>	<b>389</b>
6.3	Technical extraction of sugar from cane	354	7.1	Mechanical dewatering	390
6.3.1	Cane unloading	357	7.1.1	Effect of the extractor operation	391
6.3.2	Cane preparation (comminution)	358	7.1.2	Application of pressing aids in extraction	391
			7.1.3	Special procedures to improve pressing properties	393
			7.1.4	Pulp presses	393
			7.1.5	Operating mode of pulp presses	

## Contents

	397			429
7.1.6	398	7.4.3	Safety	429
7.2	399	7.4.4	Quality parameters	430
7.2.1	399	7.5	Uses of beet pulp	430
7.2.2	400	7.5.1	Animal Feed Legislation	432
7.2.3	400	7.5.1.1	European Union	432
7.2.4	402	7.5.1.2	USA and Japan	435
7.3	402	7.5.2	Analysis and feeding values	436
7.3.1	402	7.5.3	Feeding of sugarbeet pulp	438
7.3.1.1	402	7.6	Fiber products for human consumption from beet and cane	443
7.3.1.2	403	7.6.1	Fiber as an ingredient of human diet	443
7.3.1.3	404	7.6.2	Beet fiber	444
7.3.2	405	7.6.3	Cane fiber	445
7.3.2.1	406	<b>8</b>	<b>Utilization of bagasse</b>	<b>451</b>
7.3.2.2	406	8.1	Composition and physical characteristics of bagasse	451
7.3.2.3	407	8.1.1	Physical characteristics	454
7.3.2.4	407	8.2	Burning or calorific value of bagasse	455
7.3.2.5	409	8.3	Bagasse handling and storage	456
7.3.2.6	411	8.4	Bagasse depithing	457
7.3.3	412	8.5	Bagasse drying	459
7.3.4	414	8.6	Bagasse combustion	461
7.3.4.1	414	8.6.1	Principles of bagasse burning	462
7.3.4.2	416	8.6.2	Thermal efficiency of bagasse burning	463
7.3.5	418	8.6.3	Burning of bagasse residues	464
7.3.5.1	419	8.6.4	Furnaces of bagasse-fired steam boilers	465
7.3.5.2	419	8.6.5	Fly ash separation from bagasse-fired steam boiler flue gas	470
7.3.5.3	419	8.7	Utilization of bagasse other as a fuel	471
7.3.5.4	420	8.7.1	Pentosans	471
7.3.6	420	8.7.2	Fibrous products from bagasse	473
7.3.6.1	421	8.7.3	Bagasse as a raw material in agronomy and husbandry	474
7.3.6.2	421	8.7.3.1	Bagasse in husbandry	474
7.4	424	8.7.3.2	Bagasse as a substrate for the production of edible mushrooms	475
7.4.1	424	8.7.3.3	Composting of bagasse	475
7.4.1.1	424	8.8	Health hazards in bagasse handling – bagassosis	477
7.4.1.2	425	<b>9</b>	<b>Juice purification</b>	<b>479</b>
7.4.1.3	427			
7.4.2	429			

## Contents

9.1	Chemical and physical properties	479	9.2.2.1	Beet sugar	507
9.1.1	Solubilities and dissociation equilibria	480	9.2.2.2	Processes in cane sugar manufacture	509
9.1.1.1	Solubility of calcium hydroxide in pure and technical sugar solutions	481	9.2.3	Special processing steps in beet juice purification	511
9.1.1.2	Solubility of calcium carbonate and other calcium salts	481	9.2.3.1	Removal of the precipitate after preliming	511
9.1.1.3	Solubility of carbon dioxide and dissociation of carbonic acid	483	9.2.3.2	Dry liming	511
9.1.1.4	Dissociation of ammonia	484	9.2.3.3	MZ method	512
9.1.2	Chemical reactions and process steps of the lime/carbonic acid juice purification	484	9.2.3.4	Juice purification methods for deteriorated beet	512
9.1.3	Cation/anion balances in juice purification	486	9.2.4	Sulfitation	513
9.1.4	Sodium, magnesium or phosphate ion addition for decalcification	488	9.2.4.1	Sulfitation in beet sugar manufacture	513
9.1.5	Natural, effective and optimal alkalinity	490	9.2.4.2	Sulfitation in cane sugar manufacture	514
9.1.6	Precipitation of nonsugars by addition of lime	491	9.2.4.3	Security filtration	514
9.1.7	Optimum flocculation point in preliming and first carbonation	492	9.2.4.4	White sugar production without sulfitation	514
9.1.8	Overcarbonation	493	9.2.4.5	Sulfite reaction with nitrite	514
9.1.9	Minimizing of CaO consumption	494	9.2.5	Purification of thick juice and syrups	515
9.1.10	Filtration and sedimentation	495	9.2.5.1	Phosphate purification of syrups	515
9.1.10.1	Filtration – theoretical background	495	9.2.5.2	Talodura thick juice purification	515
9.1.10.2	Sedimentation – theoretical background	497	9.2.5.3	Talofloc process	515
9.1.10.3	Methods for the determination of filtrability	498	9.2.5.4	Sulfitation and carbonation processes for refined sugar manufacture	516
9.1.10.4	Determination of residual slurry in the filtrate	499	9.2.5.5	Guangdong flotation process	516
9.1.10.5	Method for determination of sedimentation rate	499	9.2.5.6	New magnesia clarifying process for refineries	516
9.1.10.6	Determination of sugar in the carbonation lime	500	9.2.5.7	Ozonization for removal of color, etc.	516
9.2	Juice purification systems	500	9.2.5.8	Use of activated carbon	516
9.2.1	Processes with alkaline invert sugar degradation	500	9.2.6	Softening of juice by ion exchangers	517
9.2.1.1	Traditional batch process	500	9.2.6.1	Classical decalcification	517
9.2.1.2	Traditional process with continuous preliming	503	9.2.6.2	N.R.S. (New Regenerant Solution) process	518
9.2.1.3	Continuous systems with a clarifier	504	9.2.6.3	Gryllus process	519
9.2.1.4	Systems with thickening filters	504	9.2.6.4	Anion exchange used for softening of juice	519
9.2.2	Processes with limited invert sugar degradation	507	9.2.7	Membrane separation processes	520
			9.2.7.1	Ultrafiltration of juices	520
			9.2.7.2	Nanofiltration of thin juice	521
			9.2.7.3	Microfiltration	521
			9.2.7.4	Electrodialysis	522
			9.3	Equipment for juice purification	523

## Contents

9.3.1	Equipment for liming	523		control of juice purification	560
9.3.1.1	Prelimers	523	9.6.1	Sensors	560
9.3.1.2	Main liming tanks	525	9.6.2	Control of juice purification	563
9.3.2	Equipment for carbonation	526			
9.3.2.1	1st Carbonation tanks	526			
9.3.2.2	Gas distribution systems	528	<b>10</b>	<b>Lime and kiln gas production</b>	<b>571</b>
9.3.2.3	Gas cleaning after the carbonation tank	529	10.1	Thermal decomposition of calcium carbonate	571
9.3.2.4	2nd Carbonation tanks	529	10.2	Quality characteristics of limestone and fuels	572
9.3.3	Equipment for clarification and carbonation lime desweetening	529	10.2.1	Limestone quality	572
9.3.3.1	Clarifiers	530	10.2.2	Fuels and fuel quality	573
9.3.3.2	Flotation equipment	533	10.3	Equipment and operation	575
9.3.3.3	Filter cloth	533	10.3.1	General aspects	575
9.3.3.4	Thickening filters	534	10.3.2	Advantages and disadvantages of positive pressure and induced draft lime kilns	577
9.3.3.5	Rotary drum filters	536	10.3.3	Lime kiln charging	579
9.3.3.6	Traditional filter presses	538	10.3.4	Lime kiln discharge	581
9.3.3.7	Filters for the production of filter cake having a high dry substance content	539	10.3.5	Lime kiln lining	581
9.3.3.8	Security filters and polishing filters	542	19.3.6	Oil- and gas fired lime kilns	582
9.3.3.9	Ceramic filters	542	10.4	Startup and monitoring of a coke-fired lime shaft kiln	583
9.3.3.10	Centrifuges	543	10.4.1	Startup	583
9.3.3.11	Hydrocyclones	543	10.4.2	Monitoring and control	583
9.4	Use of carbonation lime from beet	544	10.5	Lime kiln gas plant	585
9.4.1	Carbonation lime: composition and utilization	544	10.6	Quicklime quality requirements	586
9.4.1.1	Composition of carbonation lime	545	10.7	Production of hydrated lime suspensions (milk of lime)	587
9.4.1.2	Nutrient effects of carbonation lime	545	10.7.1	Reaction enthalpy in slaking	587
9.4.2	Recalcing of carbonation lime	547	10.7.2	Batch and continuous slaking procedures	587
9.4.2.1	Composition and quality parameters	548	10.7.3	Equipment for milk of lime production	588
9.4.2.2	Rotary kiln	550	10.7.4	Sugar-containing slaking water	589
9.4.2.3	Multiple-hearth kiln	551	<b>11</b>	<b>Evaporating, heating and heat economy</b>	<b>591</b>
9.4.2.4	Operating data, energy demand of recalcination plants and the quality of recalced lime	552	11.1	Heat supply for the sugar factory	591
9.5	Cane sugar factory filter cake: composition and utilization	554	11.1.1	Thermal cycles	591
9.5.1	Composition and yield	554	11.1.2	Steam boilers	594
9.5.2	Utilization	555	11.1.3	Emission control	599
9.5.2.1	Soil conditioner	555	11.2	Technological principles of heat economy	602
9.5.2.2	Soil fertilizer	558	11.2.1	Heat economy in relation to evaporation and juice heating	602
9.5.2.3	Wax production	558	11.2.2	Heat economy in cane sugar	
9.6	Continuous on-line sensors and				



## Contents

	factories	606		solution characteristics	660
11.2.3	Heat demand	606	12.1.2.2	Effects of nonsugars on growth rate and morphology	662
11.2.4	Distribution of heating vapors and the number of evaporator effects	608	12.1.3	Crystal size distribution	665
11.2.5	Vapor compression	611	12.1.4	Conglomerates	667
11.2.6	Use of low-grade heat in evaporation	613	12.1.5	Measurement of crystal size distributions and conglomerates during crystallization	668
11.3	Chemical modifications during evaporation	614	12.1.6	Crystallization techniques	670
11.3.1	pH Value, invert sugar formation	614	12.1.6.1	Evaporating crystallization	672
11.3.2	Color formation	617	12.1.6.2	Cooling crystallization	674
11.3.3	Causes of increase in thick juice color	619	12.1.6.3	Crystallization by precipitation	675
11.3.4	Scale formation and removal	620	12.2	Process management	676
11.4	Evaporators and heat exchangers	623	12.2.1	Requirements for smooth sugar house operation	676
11.4.1	Practical requirements of the evaporator characteristics	623	12.2.1.1	Quality of feed syrups	676
11.4.2	Natural circulation calandria evaporator	625	12.2.1.2	Effect of feed syrup dry substance content on magma circulation	679
11.4.3	“Once-through” calandria evaporator and climbing-film tube-bundle evaporators	629	12.2.2	Chemical changes in sugar house syrups	680
11.4.4	Falling-film evaporators	630	12.2.3	Chemical-physical parameters	683
11.4.5	Developments in heat evaporator design	632	12.2.3.1	Solubility of sucrose in technical solutions	683
11.4.6	Condensate drainage	635	12.2.3.1.1	Influence of individual nonsugars on molasses formation	685
11.4.7	Venting of incondensable gases	637	12.2.3.1.2	Determination of solubility and the efficiency of molasses exhaustion	687
11.4.8	Juice heat exchangers	637	12.2.3.2	Viscosity	690
11.5	Principles of controlling the evaporator station	639	12.2.3.3	Crystal growth, particle numbers and crystal size	692
11.5.1	Basic elements	639	12.2.3.3.1	Parameters	692
11.5.2	Classical local control loops	639	12.2.3.3.2	Seed mass and particle numbers	695
11.5.3	Sensitivity of evaporator operation	640	12.2.3.3.3	Changes in crystallizate uniformity	695
11.5.4	Concentrators	642	12.2.3.3.4	Changes in the number of particles in magmas	697
11.5.5	Sophisticated control systems	642	12.2.4	Nucleation and the crystal formation phase	697
<b>12</b>	<b>Crystallization</b>	<b>649</b>	12.2.4.1	Primary and secondary nucleation	697
12.1	Theoretical principles	649	12.2.4.2	Secondary nucleation in crystal suspensions (magmas)	698
12.1.1	Pure solutions	649	12.2.4.3	Conglomerate formation	698
12.1.1.1	Solubility	649	12.2.4.4	Slurry preparation	699
12.1.1.2	Nucleation	650	12.2.4.5	Seed magma from centrifuged sugar	700
12.1.1.3	Crystal growth	653	12.2.5	Crystal growth and crystallization rate	700
12.1.1.4	Morphology and twins	657	12.2.6	Color and crystal inclusions	702
12.1.2	Technical solutions	660			
12.1.2.1	Effects of nonsugars on the				

## Contents

12.2.6.1	Color and other inclusions	703		variables	758
12.2.6.2	High molecular mass compounds and salts	706	12.3.5	Mass flow control in the sugar house	758
12.2.7	Seed magma work	708	12.3.6	Continuous measurement of the produced white sugar quality	760
12.2.7.1	Fundamentals	708	12.4	Crystallization schemes	762
12.2.7.2	Production of seed magma	710	12.4.1	Beet sugar	762
12.2.8	Batch evaporating crystallization	714	12.4.1.1	Raw sugar	763
12.2.9	Continuous evaporating crystallization	720	12.4.1.2	White sugar	765
12.2.9.1	Multi-chamber cascade evaporating crystallizers with forced magma transport	721	12.4.2	Cane raw sugar	767
12.2.9.2	Multi-chamber crystallizers without forced transport of magma	726	12.4.2.1	Choice of a crystallization scheme	767
12.2.10	Batch cooling crystallization	730	12.4.2.2	Two-stage crystallization schemes ('Two-boiling scheme')	768
12.2.11	Continuous cooling crystallization	733	12.4.2.3	Three-stage crystallization schemes	759
12.2.11.1	C sugar (afterproduct)	733	12.4.3	Refining	771
12.2.11.2	B (raw) and A (white) sugar	735	12.4.3.1	White sugar	773
12.2.12	Flash/cooling crystallization	735	12.4.3.2	Recovery house	775
12.2.13	Process parameters for canesugar crystallization	739	12.4.3.3	Special sugars	776
12.2.13.1	Cane white sugar	739	12.4.4	Colorant streams – coloring in the various process stages	777
12.2.13.2	Cane raw sugar	740	12.5	Crystallizers	780
12.2.13.3	C sugar (afterproduct) operation	741	12.5.1	Evaporating crystallizers	780
12.2.13.4	Molasses exhaustion and sucrose solubility – target purity	741	12.5.1.1	Heat transfer in evaporating crystallizers	780
12.2.13.5	Sugar losses	742	12.5.1.2	Batch evaporating crystallizers	783
12.2.13.6	Seed magma production		12.5.1.3	Continuous evaporating crystallizers	787
12.3	Control of crystallization	742	12.5.1.3.1	Multichamber cascade evaporating crystallizers with forced magma transport	788
12.3.1	Principles of supersaturation and crystal content measurement	743	12.5.1.3.2	Multichamber crystallizers without forced transport of magma	790
12.3.1.1	Electrical conductivity	743	12.5.1.3.3	Langreny continuous crystallizers (Langreny CC)	795
12.3.1.2	Boiling point elevation	744	12.5.1.4	Entrainment separators	796
12.3.1.3	Radio frequency measurement	746	12.5.2	Cooling crystallizers	797
12.3.1.4	Refractive index	747	12.5.2.1	Equipment for cooling crystallization	798
12.3.1.5	Radiometric density measurement	748	12.5.2.2	Layout of cooling water circuit, heat transfer and retention time distribution	801
12.3.1.6	Microwaves	749	12.5.3	Flash/cooling crystallizers	804
12.3.1.7	Viscosity	749	12.6	Condensation	805
12.3.1.8	On-line crystal size observation and measurement	751	12.6.1	Design of condensers	806
12.3.1.9	Ultrasonic absorption	752	12.6.1.1	Direct contact condensers	806
12.3.1.10	Ultrasonic velocity measurement	753	12.6.1.2	Surface condensers	808
12.3.1.11	Comparison of sensors	753	12.6.1.3	Multi-jet condenser	808
12.3.2	Batch evaporating crystallization	754			
12.3.3	Continuous evaporating crystallization	756			
12.3.4	Measurement of other process				

## Contents

12.6.2	Design considerations	809		
12.6.2.1	Cooling water flow rate	809		
12.6.2.2	Dimensioning of condensers	810		
12.6.2.3	Incondensable gases	811		
12.6.3	Vacuum pumps	811		
12.6.3.1	Positive displacement pumps	812		
12.6.4	Heat recovery in condenser systems	813		
12.6.5	Modern condenser systems with heat recovery	815		
12.6.6	Cooling of condenser water	816		
12.6.7	Entrainment separators	817		
<b>13</b>	<b>Separation of the crystals from the mother liquor in centrifugals</b>	<b>829</b>		
13.1	Theoretical consideration of the separation process	829		
13.1.1	Batch centrifugation	829		
13.1.2	Continuous centrifugation	831		
13.2	Operating practice – process parameters	833		
13.2.1	Batch centrifugation	833		
13.2.2	Continuous centrifugation	838		
13.3	Design and structural characteristics of centrifugals	842		
13.3.1	Batch centrifugals	842		
13.3.1.1	Design characteristics	842		
13.3.1.2	Nominal and real basket loads	848		
13.3.1.3	Centrifugal drives and centrifugal control	849		
13.3.1.4	Energy requirement	850		
13.3.1.5	Centrifugal safety	850		
13.3.1.6	Economic considerations	851		
13.3.2	Continuous centrifugals	852		
13.3.2.1	Design characteristics	852		
13.3.2.2	Configurations	854		
13.3.2.3	Energy requirements	856		
13.3.2.4	Economic pointers	857		
<b>14</b>	<b>Sugar handling after the centrifugals</b>	<b>861</b>		
14.1	Handling, storage, and conditioning of raw sugar	861		
14.1.1	Cane raw sugar	861		
			14.1.1.1	Factors affecting the keeping quality of raw sugar 861
			14.1.1.2	Chemical and physical changes occurring during raw sugar storage 863
			14.1.1.3	Storage conditions for raw sugar 863
			14.1.1.4	Bulk handling, conditioning and storage 863
			14.1.1.5	Transportation from factory to terminal 864
			14.1.1.6	Bulk sugar storage warehouse 864
			14.1.1.7	Shipping sugar 865
			14.1.1.8	A typical sugar terminal: The Nawiliwili terminal 865
			14.1.2	Raw beet sugar 866
			14.2	Drying and cooling of sugar 867
			14.2.1	Theoretical principles 867
			14.2.1.1	Basic processes of drying 867
			14.2.1.2	Behavior of sugar under conditions of drying and storage 868
			14.2.1.3	Basic types of driers 871
			14.2.1.4	Simple balance calculation of a drier 872
			14.2.1.5	Cooling of sugar 873
			14.2.2	Equipment for drying and cooling of white sugar 874
			14.2.2.1	Rotary drier/cooler drums 874
			14.2.2.2	Roto-Louvre drier 876
			14.2.2.3	Segmented rotating tray drier 877
			14.2.2.4	Fluidized bed drier and cooler 878
			14.2.2.5	Cleaning of driers 880
			14.3	Screening of sugar 880
			14.3.1	Evaluation of the screening operation 881
			14.3.2	Requirements for screening machines and plants 881
			14.3.3	Quality parameters of the sugar before screening 882
			14.3.4	Screening machines 883
			14.3.4.1	Trommel screens 883
			14.3.4.2	Vibrating screens 883
			14.3.4.3	Mogensen sizer 884
			14.3.4.4	Sifters 884
			14.3.4.5	Drive systems for vibrating screens 886
			14.3.4.6	Screen cloths 886
			14.4	White sugar storage 887
			14.4.1	Bulk storage sugar silos 887
			14.4.1.1	Basic concepts 887
			14.4.1.2	Developments in silo construction 890
			14.4.1.3	Ventilation of sugar silos 892

## Contents

14.4.2	Storage in sacks	893	16.1.2.1	Powdered activated carbon	927
14.5	Packaging	893	16.1.2.2	Granular activated carbon	928
14.5.1	Historical development	893	16.2	Decolorization with ion exchangers	928
14.5.2	Household size packages	894	16.3	Quentin process	930
14.5.2.1	Weighers	894	16.4	Demineralization processes	932
14.5.2.2	Paper or polyethylene packet packaging machines	895	16.4.1	Total demineralization	932
14.5.2.3	Bundling and palletizing	896	16.4.2	Partial demineralization	934
14.5.2.4	Carton packaging machine	897	16.4.2.1	Carbonate process	934
14.5.2.5	Vertical-form fill seal	898	16.4.2.2	<i>Schneider-Perschak</i> process	934
14.5.2.6	Sachets/Packets	898	16.5	Construction and operation of ion exchange plants	934
14.5.3	Packages for industrial uses	899			
14.5.4	Ancillary equipment	899			
14.5.5	Bulk transport of granulated sugar	900	<b>17</b>	<b>Molasses desugarizing</b>	<b>939</b>
14.6	Transport air	902	17.1	The <i>Steffen</i> process	939
14.7	Dust collection systems	903	17.2	Chromatographic processes	940
14.7.1	Dry dust separators	904	17.2.1	Principles of ion exclusion	940
14.7.2	Wet dust collectors	905	17.2.1.1	Ion exclusion processes	942
14.8	Safety precautions against dust explosions	906	17.2.1.2	Raw materials other than beet molasses	945
14.8.1	Explosion parameters	906	17.2.1.3	By-products	945
14.8.2	Characteristics of an explosion	907	17.2.2	Large-scale commercial processes	945
14.8.3	Preventive measures	908			
14.8.4	Protective measures	909			
14.8.5	Safety measures for individual items of equipment	910	<b>18</b>	<b>Liquid sugars: Manufacture, properties</b>	<b>951</b>
<b>15</b>	<b>Thick juice storage</b>	<b>919</b>	18.1	Light liquid sugar	951
15.1	Storage parameters	919	18.1.1	Manufacture in sugar refineries	951
15.1.1	Types of syrups used for storage	919	18.1.2	Manufacture from granulated sugar	952
15.1.2	Juice storage conditions	920	18.2	Invert sugar syrups	952
15.1.3	Effects of storage on thick juice quality	921	18.2.1	Inversion by free acids	953
15.2	Equipment for storage	923	18.2.2	Inversion by immobilized acids	954
15.2.1	Tanks	923	18.2.3	Inversion by enzymes	955
15.2.2	Auxiliary equipment	924	18.3	Burnt sugar solutions	957
15.3	Processing stored thick juice	925	18.4	Liquid brown sugars from syrups	957
			18.5	Blended syrups	957
			18.6	Caramel colors (Kulör)	958
			18.7	Storage and transport	958
<b>16</b>	<b>Ion exchange and decolorization processes</b>	<b>927</b>	<b>19</b>	<b>Special crystal sugar products</b>	<b>961</b>
16.1	Decolorization with activated carbon and bone char	927	19.1	Powdered sugar	961
16.1.1	Bone char	927	19.2	Cube sugar, nib sugar and loaf sugar	962
16.1.2	Activated carbon	927			

## Contents

19.2.1	Molded cube or Adant process	962		coal particles	988
19.2.2	Pressed cube process	962	20.3.4	Carbon black agglomeration with molasses	988
19.2.3	Nib sugar	963	20.4	Effect of storing and shipping on molasses quality	989
19.2.4	Loaf sugar	963	20.5	Trading of beet and cane molasses	989
19.3	Instant sugar	964	20.5.1	Shipping of molasses	990
19.4	Amorphous sugar	965	20.5.2	Trends in molasses uses	991
19.5	Candy crystals	966			
19.6	Brown and soft sugar	967			
19.7	Sugar co-crystallisates	968			
19.8	Mixtures of white sugars and other ingredients	968	<b>21</b>	<b>Microbiology</b>	<b>993</b>
19.9	Fondant	969	21.1	Beet sugar manufacture	993
19.10	Noncentrifugal sugars	969	21.1.1	Extraction	994
19.11	Sugar from organic farming	971	21.1.2	Bacteriological control measures	998
			21.1.3	Microbiological problems with other process steps	1000
<b>20</b>	<b>Quality and storage of molasses</b>	<b>973</b>	21.2	Cane sugar manufacture	1001
20.1	Quality-determining constituents of molasses	974	21.2.1	Extraction	1003
20.1.1	Sugars (mono- and oligo-saccharides) in molasses	974	21.3	Microbiological criteria and standards for white sugar	1004
20.1.1.1	Saccharides in cane molasses	975	21.4	Analytical methods	1005
20.1.1.2	Saccharides in beet molasses	976			
20.1.1.3	Trends in total sugars contents in molasses	976	<b>22</b>	<b>Biological purification of sugar factory waste water</b>	<b>1008</b>
20.1.2	Nonsugar organic matter in molasses	977	22.1	Water system of a beet sugar factory	1008
20.1.2.1	Nitrogen-containing organic compounds in cane molasses	977	22.2	Sprinkler or surface irrigation	1010
20.1.2.2	Nitrogen-containing compounds in beet molasses	978	22.3	Ponds (Lagooning)	1010
20.1.2.3	Non-nitrogenous organic acids	979	22.3.1	Unaerated ponds	1011
20.1.3	Mineral and trace elements	979	22.3.2	Aerated ponds	1011
20.1.3.1	Major cations	980	22.4	Activated sludge processes	1013
20.1.4	Inorganic anions	980	22.5	Combined processes	1014
20.1.5	Vitamins	981	22.5.1	Lagooning and sprinkler irrigation	1014
20.1.6	Minor contaminants: Pesticides, herbicides, heavy metals, process chemicals	982	22.5.2	Lagooning and activated sludge treatment	1014
20.1.7	Waxes, lignins, sterols and lipids	984	22.5.3	Anaerobic-aerobic processes	1014
20.1.8	Refinery and high test molasses	984	22.5.4	Ammonia stripping and biological purification	1016
20.2	Physical properties of molasses	984	22.6	Use of antifoaming agents	1017
20.3	Utilization of molasses	987	22.7	Regulations for discharge of waste water	1017
20.3.1	Feeding value of molasses	987			
20.3.2	Binding properties of molasses in animal feeds	987	<b>23</b>	<b>Developments in process control and data management</b>	<b>1019</b>
20.3.3	Particle binding: briquetting of		23.1	Basic elements of process control	

## Contents

	and data management	1019		25.2 Control of mass streams in extraction	1058
23.1.1	Process control and data management in a hierarchical model	1019	25.2.1	Models for optimizing the economic performance of a beet extractor	1060
23.1.2	Basic control strategies	1020	25.3	Juice purification efficiency	1061
23.1.3	Measuring sensors	1020	25.4	Crystallization scheme calculations	1062
23.2	Historical review of process control in the sugar industry	1021	25.5	Standard or target extraction	1064
23.3	Control systems for the sugar industry	1023			
23.4	Aspects of future development of process control and data management	1025	<b>26</b>	<b>Costs of sugar production</b>	<b>1067</b>
			26.1	Concepts, definitions	1067
			26.2	Raw material costs	1068
<b>24</b>	<b>Quality assurance and process safety</b>	<b>1027</b>	26.2.1	Production costs of sugarbeet and sugar per hectare	1068
24.1	Quality assurance	1027	26.2.2	Production costs of sugarcane and sugar per hectare	1072
24.1.1	Quality assurance standards	1028	26.2.3	Total raw material production costs	1073
24.1.2	Quality management systems	1029	26.3	Processing costs	1074
24.1.2.1	Phase 1 – Problem oriented improvement	1031	26.3.1	Processing costs in general	1074
24.1.2.2	Phase 2 – Systematic improvement	1032	26.3.2	Capital costs	1075
24.1.2.3	Phase 3 – Innovation and enterprise	1033	26.3.3	Labor costs	1076
24.2	On-line control of critical activities	1035	26.3.4	Fuel costs	1076
24.2.1	Identifying critical parameters	1035	26.3.5	Limestone and coke costs	1077
24.2.2	Sampling	1035	26.3.6	Costs of processing aids	1077
24.2.3	Statistical process control	1038	26.3.7	Maintenance costs	1077
24.2.4	Weight control of finished products	1042	26.3.8	Beet sugar production costs	1078
24.3	Hygiene management	1044	26.3.9	Cane sugar production costs	1078
24.3.1	People	1045	26.3.10	Outlook	1078
24.3.2	Premises and equipment	1045	26.4	Number of sugar factories in the world, world production	1081
24.3.3	Production	1046	26.5	Capital costs of sugar factories	1082
24.3.4	Performance measurement and control	1047	<b>27</b>	<b>Glossary of technical terms</b>	<b>1084</b>
24.4	Processing aids	1049	<b>28</b>	<b>Sugar publications after 1950</b>	<b>1094</b>
24.5	Environmental audit	1050		<b>Subject index</b>	<b>1097</b>
24.6	Industrial safety	1051			
<b>25</b>	<b>Technical accounting and process control</b>	<b>1057</b>			
25.1	Definitions of some important units	1057			